

# Design Inspirations



Creative colourful solutions for  
renovating and upgrading concrete.

**brilliant colours**  
outstanding **results**



# revive concrete areas with colour and flair

The ideal method for  
colouring and renovating  
existing concrete surfaces

A fantastic way of making a dramatic improvement to the appearance of your property is to renovate the concrete areas surrounding it. The best long term solution for achieving this is through the installation of CCS Stylepave Resurfacing. Made up of two parts, the system is applied up to 3mm in thickness to sound concrete surfaces, providing you with a colourful and interesting design.

From being a functional yet somewhat tired looking medium, old grey concrete can be upgraded with Stylepave Resurfacing to become a feature area that adds excitement and ambience to your property. In addition to making your surroundings a nicer place to live or work in, it also adds significant value and appeal.

## Choose from a variety of finishes

Extremely tenacious in its bond to concrete, Stylepave Resurfacing can be applied in varying viscosities to provide anything from a textured antislip finish to a smooth tile like consistency.

The system is extremely versatile and depending on your aspirations, can be utilised to create a wide range of effects varying from simple to wild!

Geometrical or free hand patterns can be incorporated into the area with the use of precut stencil patterns, filament tape or careful use of masking. Likewise the use of multiple colours in either a subtle or a contrasting manner can be used to produce a variety of effects.

The system provides excellent resistance to abrasion and weathering and is equally suitable for domestic or public space areas.



This commercial carpark garden has been taped up and coloured with CCS Black and a special 'mix-on site' colour.



Create individual designs that add character.  
Colours used: CCS Saltbush, CCS Black, CCS Off White and CCS Coffee.



Depth and texture can be added through the use of a base colour together with 'flecks' of contrasting colours. Base Colour: CCS Terracotta. Colour Flecks: CCS Pumpkin, CCS Brick Red and CCS Harvest Gold.




Larger coloured segments can be used for a more contemporary look.  
Colours used: CCS Charcoal and CCS Sandy Beige.



An array of shape and colour create an interesting feature of this driveway and entrance.  
Colours used: CCS Hibiscus, CCS Oatmeal, CCS Off White and CCS Storm Grey (Fleck).



Create a traditional feel with classic colours and design elements.  
Colours used: CCS Rust, CCS Oatmeal and CCS Storm Grey.



BEFORE RESURFACING



AFTER RESURFACING

This pool area has been brought to life with a fine fleck pattern and the CCS Star Compass stencil. Colour used: CCS Black, CCS Blue Grey and CCS Off White.



create an inviting outdoor space



Stylepave Resurfacing assists in creating a warm and inviting feel to outdoor eating areas. Colours used: A blend of CCS colours mixed on-site. Design: 500 x 500 taped tile design.



An ultra modern design achieved simply through the use of filament tape and a little imagination. Colours used: CCS Charcoal, CCS Off White and CCS Black.

# rejuvenate commercial and public spaces

Stylepave Resurfacing is a practical, cost effective and durable method for beautifying commercial areas.



Stylepave Resurfacing can also be applied to large areas with individual designs and patterns to suit an overall theme. A combination of two unique CCS colours were utilised for this project.




Colours Used: CCS Terracotta and CCS Sandstone with a Tile 225 and Tile 270 stencil design.



A classic tile design, with feature diamond shapes creates a timeless look. Colours used: A special blend of CCS colours. Please refer to your applicator for special blends and colour matching.



This contemporary driveway has been integrally coloured with CCS Bonsai pigment, then taped in a tile design and coloured with CCS Storm Grey Resurfacing Compound.



Colours used: CCS Harvest Gold Resurfacing Compound in main area with CCS Brick Red borders. CCS Bush Rock Stencil design.



CCS Blue Grey Resurfacing Compound with the CCS Tile 270 design.

Stylepave Resurfacing is a low maintenance, cost effective way to spruce up traffic islands and roadways.



# design and texture options to consider

## Design Options

As demonstrated in photos on the previous pages, an unlimited range of tile sizes and geometric patterns can be created using the adhesive filament tape. In addition to different outside dimensions, you can also utilise three widths of filament tape to create a 6mm, 9mm or 12mm 'grout' line. Grout colour can be natural or coloured.

Up to 15 patterns can be created using the precut stencil designs detailed on the next page.

## Special Motifs

Names, logos or just about any size motif can be created using the Stylepave Resurfacing system and specially cut stencils.

CCS Brick Red and CCS Black Resurfacing compounds were used for the main area and border, whilst a blue colour was mixed on site for the 'sky' in the helicopter hangar shown.

## Surface Texture and Multi Colour Options

Depending on the desired use, the Stylepave Resurfacing System can be applied in slightly different methods and viscosities to produce either a 'grainy' anti slip finish, a sleek and smooth tile like finish or a 'knock down' smooth and textured combination finish.

Single colours can be used as is, or accentuated with a second or third colour.

## Treatment of Existing Cracks

As with any concrete slab, expansion joints must be incorporated at regular intervals to allow the slab to expand and contract with variations in temperature.

In addition to the expansion joints it is common to find other 'random' cracks in concrete slabs. Unless treated, these cracks will ultimately be mirrored in the Resurfacing Compound.

The best method for minimising cracks appearing in the Resurfacing Compound is to repair the original crack and then once resurfacing is complete, insert a saw cut above or directly adjacent to the existing crack.



## Protection from Dirt, Grime and Moisture


Once your new Stylepave surface has been completed, your applicator will immediately apply a coat of CCS sealer to protect it from the ingress of moisture, dirt and grime.

To continue protecting your concrete surface, we recommend re-coating it every two to five years - depending on the condition of the concrete and the amount of traffic it has been exposed to.




## Stencil Designs

### Held in stock



### Made to order



**Please Note:-** Contractors should allow approximately 2-3 days delivery on the above stencils.

## CCS Products

quality and colour you can rely on

The CCS products used for CCS Stylepave Resurfacing are produced in accordance with our NCS International Certified Quality Management System ISO 9001.


They are made to a consistently high standard to assist your applicator in achieving an attractive and long lasting coloured concrete finish.



**To make your decorative concrete selection easier, visit our website concrete visualiser to get a taste of what several colour and design combinations can look like.**

# CCS Stylepave Resurfacing Colour Chart

## Base Colours



CCS Off White



CCS Natural

### IMPORTANT:

Due to limitations in the printing process, these colours are not true representations. We strongly recommend that you refer to our true to life colour card with sample colour chips to make your final selection.



## Mix On-Site Colours

The colours below can be achieved by mixing these colour concentrates with either the CCS Natural or CCS Off-white Resurfacing Compound.

Note: (O) = CCS Off-white Resurfacing Compound (N) = CCS Natural Resurfacing Compound



CCS Classic Cream\* (O)



CCS Harvest Gold (O)



CCS Riversand\* (N)



CCS Hibiscus (N)




CCS Storm Grey (N)



CCS Almond (N)



CCS Autumn Tan (N)



CCS Shale Grey (N)



CCS Coffee Brown (N)



CCS Blue Metal (N)



CCS Sandy Beige (O)



CCS Terracotta (N)



CCS Fossil (N)



CCS Red Oak\* (N)



CCS Blue Grey (N)



CCS Oatmeal (N)



CCS Brick Red (N)



CCS Truffle (N)



CCS Muscatel (N)



CCS Charcoal (N)



CCS Sandstone (N)



CCS Rust (N)



CCS Chocolate (N)



CCS Black (N)

### Premium Tones



CCS Pale Eucalypt\* (N)



CCS Cottage Green\* (N)



CCS Byron Blue (O)



CCS Deep Ocean\* (N)

\* These CCS colours are matched to the Colorbond® Steel Product Range.

### DESIGN AND BROCHURE LIMITATIONS

CCS Stylepave Resurfacing is created by hand trowelling or spraying through a hopper gun, on site under varying weather and job conditions. Due to changes in viscosity and surface texture, variations in colour when compared with the above swatches should be expected. For people unfamiliar with the finished product, we recommend that you view jobs already completed by your decorative concreter to gain an understanding of the appearance. Although all efforts have been taken to accurately reproduce colours, limitations in the printing process will cause colours depicted in this guide to vary from the actual job.



Concrete Colour Systems  
Over 30 years of excellence

CONCRETE  
COLOUR  
SYSTEMS

Your Applicator

Concrete Colour Systems or 'CCS' is a fully owned division of River Sands Pty Ltd. This Australian company commenced business in 1974 and manufactures an ever expanding range of speciality products for the construction industry throughout Australia and overseas. The CCS products are made to a consistently high standard to assist your applicator in achieving an attractive and long lasting finish.

### CONCRETE COLOUR SYSTEMS

**FACTORY AND HEAD OFFICE** 683 Beenleigh Redland Bay Road, Carbrook, Brisbane 4130  
Ph 07-3287 6444 • Fax 07-3287 6445

#### Service Centres

**GOLD COAST** • Ph 07-5597 0423 **GEEBUNG** • Ph 07-3865 6888

**EMAIL** ccscolour@riversands.com.au • **WEB** www.concretecoloursystems.com.au

**Toll Free Australia Telephone 1800 077 744**

No reproduction of this brochure should be undertaken without written permission from Concrete Colour Systems.